

EPSON®

Desktop Printing Solutions

2025 Line Guide




There's a Better Way to Print

Our PrecisionCore® Heat-Free technology¹ is one of the most advanced technologies we have ever created. The all-in-one chip replaces bulky, complex maintenance parts—which can result in reduced waste and fewer service visits. And by eliminating the need for heat, this innovative technology minimizes the number of steps needed to print while supporting low power consumption.



Epson Inkjet Printers



Benefits Include:



Fewer Steps & Parts



Faster First Page Out



Heat-Free Technology

Laser Printers



Epson Solutions Suite—Streamlined Configuration and Management for Your Printer Fleet

Epson business printers offer a full suite of advanced printing solutions designed to help businesses easily manage the installation, configuration and operation of their print environment. With workflow administration, fleet management, remote services and third-party integration, Epson Solutions Suite has you covered.



Epson Device Admin

A powerful device management solution, Epson Device Admin was designed to simplify the installation, configuration and management of networked Epson printers with alert notifications and usage reporting.



Epson Print Admin

A cost-effective administration tool, Epson Print Admin helps customers increase document output security, manage print costs and improve productivity with its user-friendly software integration. Also available on select models as an embedded solution with Epson Print Admin Serverless.



Epson Remote Services

A cloud-based printer fleet management tool, Epson Remote Services was built to help partners remotely diagnose customer service needs, perform remote operations, generate alerts and more—all from the convenience of the cloud.



Epson Open Platform

A third-party integration solution, Epson Open Platform allows users to gain control of their printing operations by interacting with embedded software from a variety of third-party Independent Software Vendor (ISV) solutions.

Compatibility varies by model.

Epson Business Printer Security Features

Printer security is essential to an organization's information security strategy. That's why Epson builds security features into its business printers. Whether you're concerned with user, network or data security, Epson business printer technology is designed to meet your business requirements.



Protection Against External Threats

Epson solutions can help block unapproved computer connections and disable external interfaces.



Document Security

Secure confidential documents, utilize anti-copy patterns, add watermarks and encrypt PDFs with select Epson printers.



Secure Network Protocols

Select WorkForce® Pro printers can utilize IPsec/IP filtering, TLS Communication v1.1 – 1.3 and SNMPv3.



Automated Security

Easily streamline the installation, configuration and management of all Epson networked devices with Epson Device Admin.

Compatibility varies by model.

Business Printers

- Included
- Not included



	Single User	WorkForce / WorkForce Pro		
	Mobile printer with built-in battery	Individual ink cartridges or packs that you replace as you go		
Model Name	WorkForce EC-C110*	WorkForce Pro WF-M4119*	WorkForce Pro WF-M4619*	WorkForce Pro WF-C4310*
Product Code	C11CH25202	C11CK75201	C11CK74201	C11CK18201
Color / Monochrome	Color	Monochrome	Monochrome	Color
Limited Warranty	2-year	2-year	2-year	2-year
Features	Printer	Printer	MFP	Printer
ISO Print Speed (1-sided; 2-sided)†	Up to 6.7/3.8 ISO ppm (bk/clr) with AC adapter (1-sided)	21 ISO ppm (bk) 12 ISO ppm (bk)	25 ISO ppm (bk) 16 ISO ppm (bk)	21/11 ISO ppm (bk/clr) 12/7 ISO ppm (bk/clr)
First Page Out Time (FPOT) (sec)††	20.6 (clr)	6.3 (bk)	5.5 (bk)	8.6 (clr)
Recommended Monthly Page Volume	Up to 250	Up to 2,000	Up to 2,000	Up to 1,600
Maximum Paper Capacity	Up to 20 sheets	Up to 250 sheets	Up to 250 sheets	Up to 250 sheets
Maximum Paper Handling Size	8.5" x 14"	8.5" x 47.2"	8.5" x 47.2"	8.5" x 47.2"
ADF Capacity	—	—	—	—
Scan Bed Size	—	—	—	—
PCL ³ and PostScript [®] Support	—	—	—	—
Epson Open Platform and Epson Print Admin	—	—	—	—
SAP [®] Compliant	—	—	—	—
Dimensions: Printer (W x D x H)	12.2" x 9.3" x 8.5"	16.7" x 19.4" x 6.5"	16.7" x 19.8" x 10.9"	16.7" x 19.4" x 6.5"
Connectivity	USB, Wireless	USB, Wireless, Ethernet	USB, Wireless, Ethernet	USB, Wireless, Ethernet
Epson Connect™ ⁴ , Wi-Fi Direct ^{®5} and AirPrint [®]	•	•	•	•
Mopria [®]	—	—	—	—
Ink Supplies	215™ Series	11J™ Series	11J Series	924™ Series
Maximum Replacement Ink Yield	~250 pgs. bk/ ~200 pgs. clr ⁶	~2,200 pgs. bk ⁷	~2,200 pgs. bk ⁷	~2,200 pgs. bk/ ~1,700 pgs. clr ⁶
Included Ink Yield	—	—	—	—
Ink Delivery	Cartridge	Cartridge	Cartridge	Cartridge

* Designed for use exclusively with Epson ink cartridges or ink packs (ink delivery varies by model).

- Included
- Not included



Individual ink cartridges or packs that you replace as you go

Model Name	WorkForce Pro WF-C4810*	WorkForce EC-C7000*	WorkForce Pro WF-M5399*	WorkForce Pro WF-M5899*
Product Code	C11CJ05205	C11CH67202	C11CK77201	C11CK76201
Color / Monochrome	Color	Color	Monochrome	Monochrome
Limited Warranty	2-year	2-year	2-year	2-year
Features	MFP	MFP	Printer	MFP
ISO Print Speed (1-sided; 2-sided)†	25/12 ISO ppm (bk/clr) 16/9 ISO ppm (bk/clr)	25/12 ISO ppm (bk/clr) 16/9 ISO ppm (bk/clr)	25 ISO ppm (bk) 16 ISO ppm (bk)	25 ISO ppm (bk) 16 ISO ppm (bk)
First Page Out Time (FPOT) (sec)††	8.1 (clr)	8.1 (clr)	4.6 (bk)	4.6 (bk)
Recommended Monthly Page Volume	Up to 1,600	Up to 2,500	Up to 5,000	Up to 5,000
Maximum Paper Capacity	Up to 500 sheets	Up to 550 sheets	Up to 1,830 sheets ²	Up to 1,830 sheets ²
Maximum Paper Handling Size	8.5" x 47.2"	13" x 47.2"	8.5" x 236.2"	8.5" x 236.2"
ADF Capacity	Duplex: 50 sheets	Duplex: 50 sheets	—	Duplex: 50 sheets
Scan Bed Size	8.5" x 11.7"	11.7" x 17"	—	8.5" x 11.7"
PCL ³ and PostScript [®] Support	—	—	•	•
Epson Open Platform and Epson Print Admin	—	—	•	•
SAP [®] Compliant	—	—	•	•
Dimensions: Printer (W x D x H)	16.7" x 19.8" x 13.0"	20.3" x 38.4" x 20.5"	16.7" x 22.8" x 17.7"	16.7" x 22.8" x 17.7"
Connectivity	USB, Wireless, Ethernet	USB, Wireless, Ethernet	USB, Wireless, Ethernet	USB, Wireless, Ethernet
Epson Connect™ ⁴ , Wi-Fi Direct ^{®5} and AirPrint [®]	•	•	•	•
Mopria [®]	—	—	—	—
Ink Supplies	924 Series	812™ Series	12 Series	12 Series
Maximum Replacement Ink Yield	~2,200 pgs. bk/ ~1,700 pgs. clr ⁶	~2,200 pgs. bk/ ~1,100 pgs. clr ⁶	~40,000 pgs. bk ⁷	~40,000 pgs. bk ⁷
Included Ink Yield	—	—	—	—
Ink Delivery	Cartridge	Cartridge	Pack	Pack

* Designed for use exclusively with Epson ink cartridges or ink packs (ink delivery varies by model).

Business Printers

WorkForce / WorkForce Pro

- Included
- Not included



Individual ink cartridges or packs that you replace as you go

Model Name	WorkForce Pro WF-C5390*	WorkForce Pro WF-C5890*	WorkForce Pro EP-C7000*	WorkForce Pro EM-C7100*
Product Code	C11CK25201	C11CK23201	C11CL37201	C11CL35201
Color / Monochrome	Color	Color	Color	Color
Limited Warranty	2-year	2-year	2-year	2-year
Features	Printer	MFP	Printer	MFP
ISO Print Speed (1-sided; 2-sided) [†]	25 ISO ppm (bk/clr) 16 ISO ppm (bk/clr)	25 ISO ppm (bk/clr) 16 ISO ppm (bk/clr)	25/24 ISO ppm (bk/clr) 17/16 ISO ppm (bk/clr)	25/24 ISO ppm (bk/clr) 17/16 ISO ppm (bk/clr)
First Page Out Time (FPOT) (sec) ^{††}	4.7 (clr)	4.7 (clr)	5.5 (clr)	5.3 (clr)
Recommended Monthly Page Volume	Up to 5,000	Up to 5,000	Up to 7,000	Up to 7,000
Maximum Paper Capacity	Up to 1,830 sheets ²	Up to 1,830 sheets ²	Up to 1,835 sheets ²	Up to 1,835 sheets ²
Maximum Paper Handling Size	8.5" x 236.2"	8.5" x 236.2"	13" x 47.2"	13" x 47.2"
ADF Capacity	—	Duplex: 50 sheets	—	Duplex: 50 sheets
Scan Bed Size	—	8.5" x 11.7"	—	11.7" x 17"
PCL ³ and PostScript [®] Support	•	•	•	•
Epson Open Platform and Epson Print Admin	•	•	•	•
SAP [®] Compliant	•	•	•	•
Dimensions: Printer (W x D x H)	16.7" x 22.8" x 17.7"	16.7" x 22.8" x 17.7"	24.1" x 33.9" x 22.5"	24.1" x 33.9" x 22.5"
Connectivity	USB, Wireless, Ethernet	USB, Wireless, Ethernet	USB, Wireless, Ethernet	USB, Wireless, Ethernet
Epson Connect [™] ⁴ , Wi-Fi Direct [®] ⁵ and AirPrint [®]	•	•	•	•
Mopria [®]	—	—	•	•
Ink Supplies	10 Series	10 Series	13 Series	13 Series
Maximum Replacement Ink Yield	~10,000 pgs. bk/ ~5,000 pgs. clr ⁶	~10,000 pgs. bk/ ~5,000 pgs. clr ⁶	~11,500 pgs. bk/ ~8,000 pgs. clr ⁶	~11,500 pgs. bk/ ~8,000 pgs. clr ⁶
Included Ink Yield	—	—	—	—
Ink Delivery	Pack	Pack	Cartridge	Cartridge

* Designed for use exclusively with Epson ink cartridges or ink packs (ink delivery varies by model).

Business Printers

Supertank

- Included
- Not included



High-yield bottles for high-volume printing, plus IT administrative tools

Model Name	WorkForce ST-M1000	WorkForce ST-M3000	WorkForce ST-C2100	WorkForce ST-C4100
Product Code	C11CG94201	C11CG93201	C11CJ63203	C11CJ60203
Color / Monochrome	Monochrome	Monochrome	Color	Color
Limited Warranty	2-year	2-year	2-year	2-year
Features	Printer	MFP	MFP (No fax)	MFP
ISO Print Speed (1-sided; 2-sided) [†]	20 ISO ppm (bk) 9 ISO ppm (bk)	20 ISO ppm (bk) 9 ISO ppm (bk)	10.5/5 ISO ppm (bk/clr) 6/4 ISO ppm (bk/clr)	15.5/8.5 ISO ppm (bk/clr) 6.5/4.5 ISO ppm (bk/clr)
First Page Out Time (FPOT) (sec) ^{††}	5.9 (bk)	5.8 (bk)	14.3 (clr)	11.9 (clr)
Recommended Monthly Page Volume	Up to 1,500	Up to 1,500	Up to 600	Up to 800
Maximum Paper Capacity	Up to 250 sheets	Up to 250 sheets	Up to 100 sheets	Up to 250 sheets
Maximum Paper Handling Size	8.5" x 47.2"	8.5" x 47.2"	8.5" x 47.2"	8.5" x 47.2"
ADF Capacity	—	35 sheets	—	30 sheets
Scan Bed Size	—	8.5" x 11.7"	8.5" x 11.7"	8.5" x 11.7"
PCL ³ and PostScript [®] Support	PCL only	PCL only	—	—
Epson Open Platform and Epson Print Admin	—	—	—	—
SAP [®] Compliant	—	—	—	—
Dimensions: Printer (W x D x H)	14.8" x 13.7" x 5.9"	14.8" x 13.7" x 13.6"	14.8" x 22.3" x 10.2"	16.4" x 19.8" x 10.0"
Connectivity	USB, Wireless, Ethernet	USB, Wireless, Ethernet	USB, Wireless	USB, Wireless, Ethernet
Epson Connect [™] 4, Wi-Fi Direct [®] 5 and AirPrint [®]	•	•	•	•
Mopria [®]	—	—	•	•
Ink Supplies	532 [™] Series	532 Series	502 [®] Series	502 Series
Maximum Replacement Ink Yield	~6,000 pgs. bk [®]	~6,000 pgs. bk [®]	~7,500 pgs. bk/ ~6,000 pgs. clr [®]	~7,500 pgs. bk/ ~6,000 pgs. clr [®]
Included Ink Yield	~11,000 pgs. bk [®]	~11,000 pgs. bk [®]	~6,500 pgs. bk/ ~5,200 pgs. clr [®]	~14,000 pgs. bk/ ~11,200 pgs. clr [®]
Ink Delivery	Bottle	Bottle	Bottle	Bottle

[†] Designed for use exclusively with Epson ink cartridges or ink packs (ink delivery varies by model).

Business Printers

- Included
- Not included



Model Name	WorkForce Pro ST-C5000	WorkForce Pro ST-C5500	WorkForce ST-C8000	WorkForce ST-C8090
Product Code	C11CJ29203	C11CJ28202	C11CH71202	C11CH71203
Color / Monochrome	Color	Color	Color	Color
Limited Warranty	2-year	2-year	2-year	2-year
Features	MFP	MFP	MFP	MFP
ISO Print Speed (1-sided; 2-sided) [†]	25 ISO ppm (bk/clr) 21 ISO ppm (bk/clr)	25 ISO ppm (bk/clr) 21 ISO ppm (bk/clr)	25 ISO ppm (bk/clr) 21 ISO ppm (bk/clr)	25 ISO ppm (bk/clr) 21 ISO ppm (bk/clr)
First Page Out Time (FPOT) (sec) ^{††}	5.1 (clr)	5.1 (clr)	5.1 (clr)	5.1 (clr)
Recommended Monthly Page Volume	Up to 3,300	Up to 3,300	Up to 3,300	Up to 3,300
Maximum Paper Capacity	Up to 500 sheets	Up to 500 sheets	Up to 550 sheets	Up to 550 sheets
Maximum Paper Handling Size	8.5" x 236.2"	8.5" x 236.2"	13" x 236.2"	13" x 236.2"
ADF Capacity	Duplex: 50 sheets	Duplex: 50 sheets	50 sheets	50 sheets
Scan Bed Size	8.5" x 11.7"	8.5" x 11.7"	11.7" x 17"	11.7" x 17"
PCL ³ and PostScript [®] Support	—	•	—	•
Epson Open Platform and Epson Print Admin	—	—	—	•
SAP [®] Compliant	—	—	•	•
Dimensions: Printer (W x D x H)	16.7" x 32.4" x 18.1"	16.7" x 32.4" x 18.1"	20.3" x 38.4" x 20.5"	20.3" x 38.4" x 20.5"
Connectivity	USB, Wireless, Ethernet	USB, Wireless, Ethernet	USB, Wireless, Ethernet	USB, Wireless, Ethernet
Epson Connect [™] 4, Wi-Fi Direct [®] 5 and AirPrint [®]	•	•	•	•
Mopria [®]	•	•	•	•
Ink Supplies	542 [™] Series	542 Series	542 Series	542 Series
Maximum Replacement Ink Yield	~7,500 pgs. bk/ ~6,000 pgs. clr ⁹	~7,500 pgs. bk/ ~6,000 pgs. clr ⁹	~7,500 pgs. bk/ ~6,000 pgs. clr ⁹	~7,500 pgs. bk/ ~6,000 pgs. clr ⁹
Included Ink Yield	~12,000 pgs. bk/ ~8,800 pgs. clr ⁹	~12,000 pgs. bk/ ~8,800 pgs. clr ⁹	~19,500 pgs. bk/ ~14,800 pgs. clr ⁹	~19,500 pgs. bk/ ~14,800 pgs. clr ⁹
Ink Delivery	Bottle	Bottle	Bottle	Bottle

[†] Designed for use exclusively with Epson ink cartridges or ink packs (ink delivery varies by model).



Epson Business Solutions

Driven by a relentless pursuit of innovation and market leadership, Epson empowers organizations to achieve their unique goals through a wide breadth of precision-engineered solutions. With a full suite of efficient and compact products ranging from printers to projectors and robots to microdevices, Epson is uniquely positioned to provide enduring partnerships and world-class expertise to those we serve every step of the way.



Discover how Epson can support your business at [epson.com/forbusiness](https://www.epson.com/forbusiness)

Scan to learn more.

† Black and color print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on factors including system configuration, software, and page complexity. For more information, visit [epson.com/printspeed](https://www.epson.com/printspeed) | †† FPOT is measured on letter-size paper in accordance with ISO/IEC 17629. | 1 EC-C110 and ST-C2100 feature MicroPiezo® Heat-Free technology. | 2 With optional paper tray(s). Number of optional trays varies by model. | 3 Not all media types are supported for PCL printing. | 4 Most features require an Internet connection to the printer, as well as an Internet- and/or email-enabled device. For a list of Epson Connect enabled printers and compatible devices and apps, visit [epson.com/connect](https://www.epson.com/connect) | 5 Wi-Fi CERTIFIED®; level of performance subject to the range of the router being used. Wi-Fi Direct may require printer software. | 6 Replacement ink cartridge and ink pack yields are based on ISO/IEC 24711 tests in Default Mode printing continuously. Yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors have to be installed for printing. For print quality, part of the ink from the included ink cartridges or ink packs is used for printer startup and a variable amount of ink remains in the ink cartridge or ink pack after the "replace cartridge" or "replace pack" signal. For details, see [epson.com/inkinfo](https://www.epson.com/inkinfo) | 7 Replacement ink cartridge and ink pack yields are based on the ISO/IEC 24711 standard using the ISO/IEC 19752 pattern in Default Mode printing continuously. Yields vary considerably for reasons including images printed, print settings, temperature, humidity and frequency of use. Yields may be lower when printing infrequently. Ink is used for printing and printer maintenance. For print quality, part of the ink from the included ink cartridges or ink packs is used for printer startup and a variable amount of ink remains in the ink cartridge or ink pack after the "replace cartridge" or "replace pack" signal. For details, see [epson.com/inkinfo](https://www.epson.com/inkinfo) | 8 Part of the ink from the included bottle is used for initial setup. Yields are lower than those of replacement ink bottles. Included and replacement ink bottle yields based on the ISO/IEC 19752 pattern with Epson's methodology. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Ink is used for printing and printer maintenance, and the ink must be available for printing. For more information, visit [epson.com/inkinfo](https://www.epson.com/inkinfo) | 9 Part of the ink from the included bottles is used for initial setup. Yields are lower than those of replacement ink bottles. Included and replacement ink bottle yields based on the ISO/IEC 24712 pattern with Epson's methodology. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors must be available for printing. For more information, visit [epson.com/inkinfo](https://www.epson.com/inkinfo)



Epson America, Inc.
3131 Katella Ave., Los Alamitos, CA 90720

Epson Canada Limited
185 Renfrew Drive, Markham, Ontario L3R 6G3

epson.com
epson.ca

Specifications and terms are subject to change without notice. EPSON, MicroPiezo, PrecisionCore, the PrecisionCore Heat-Free logo and WorkForce are registered trademarks and Epson Connect is a trademark of Seiko Epson Corporation. 502 is a registered trademark and 11J, 215, 532, 542, 812 and 924 are trademarks of Epson America, Inc. AirPrint is a trademark of Apple Inc., registered in the U.S. and other countries. The Mopria® wordmark and the Mopria® Logo are registered and/or unregistered trademarks of Mopria Alliance, Inc. in the United States and other countries. Unauthorized use is strictly prohibited. Wi-Fi CERTIFIED® and Wi-Fi Direct® are registered trademarks of Wi-Fi Alliance®. SmartWay is a registered trademark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2025 Epson America, Inc. CPD-58618R8 10/25